


## **ACHIEVING THE BENEFITS OF GROWING UNDER PROTECTION**

Growers are increasingly turning to high tunnels to protect large crop areas






## **SPECIFICATIONS**

TunnelPro is designed by a greenhouse manufacturer combining 45 years of engineering expertise and horticultural knowledge. Each structure is manufactured using pregalvanized, oval tubing made of structural steel for years of corrosion protection. Components are swedged, curved and pre-drilled before reaching the construction site, for fast and easy assembly. Hand cranks have a built-in stop mechanism for work crew safety.

Width	28'		30'	31'	
	High	Low	High	High	Low
Arch spacing		10'			12'
Side vent height (A)	84"	60"	84"	84"	
Leg height (B)	63"	39"	63"	63"	
Clearance (inside) (C)	115"	91"	126"	132"	108"
Total Height (D)	173"	149"	185"	191"	167"

Screw-type anchors are installed below frost to ensure stability and provide superior uplift resistance.

Covering is secured with durable 1" wide, UV stabilized nylon straps that are stronger than rope and will not cut through the poly.




# www.harnois.com

# **OPTIONS**

TunnelPro is offered with several value-added options, to customize the tunnel to the specific crops produced. The unique poly storage kit keeps the plastic film covered when it is not needed. It is also ready to unroll quickly when the need for protection arises, saving time and labor.







42" high roof roll-up, up to 300 ft (up to 2 per bay, one on each side)



50-50 curtain door



Full length roll-up on gable end, up to 250 ft long



Poly rolled at peak and securely stored



#### Harnois Industries Inc.

1044 Principale, Saint-Thomas, Quebec, Canada J0K 3L0

Tel.: 450.756.1041 Toll free: 1.888.427.6647

Fax: 450.756.8389

**HARNOIS.COM** | info@harnois.com